

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	36	("5633932"   "5850516"   "5850517"   "5963731"   "5968176"   "5974549"   "6009456"   "6065118"   "6141327"   "6173405"   "6189103"   "6192354"   "6233601"   "6272528"   "6308181"   "6539416"   "6615232"   "6622157"). PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 09:07
L2	9901	(jumping or mobile) (application or app or agent)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 09:07
L3	36	("5633932"   "5850516"   "5850517"   "5963731"   "5968176"   "5974549"   "6009456"   "6065118"   "6141327"   "6173405"   "6189103"   "6192354"   "6233601"   "6272528"   "6308181"   "6539416"   "6615232"   "6622157"). PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 09:07
L4	31392	(secur\$3 or trust\$3 or authoriz\$4) (code or app or application or software or job or source)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 09:07
L5	462	L2 and L4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 09:07
L6	40996	(remove or replace) near3 (code or app or application or source)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 09:07

L7	53	L5 and L6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 09:07
L8	2	("2001/0051515").URPN.	USPAT	ADJ	ON	2008/04/14 09:07
L9	43744	(mobile or executable or jump\$) adj (code or software or document or application or agent)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 09:07
L10	1	("6622157").PN.	US-PGPUB; USPAT	OR	OFF	2008/04/14 09:07
L11	7227	709/223.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 09:07
L12	7301	709/224.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 09:07
L13	3305	709/225.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 09:07
L14	3133	709/226.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 09:07
L15	3908	709/229.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 09:07
L16	20109	L10 or L11 or L12 or L13 or L14 or L15	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 09:07

L17	3399	(remove\$3 or replac\$3 or strip\$4 or eliminate) code	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 09:07
L18	35	L16 and L17	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 09:07
L19	40996	(remove or replace) near3 (code or app or application or source)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 09:07
L20	479	L16 and L19	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 09:07
L21	16257	"717".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 09:07
L22	40996	(remove or replace) near3 (code or app or application or source)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 09:07
L23	1288	L21 and L22	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 09:07
L24	587	L23 and database	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 09:07

L25	1	10/686886	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 09:07
L26	1	10/686897	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 09:07
L27	38410	(jumping or mobile or intelligent or autonomous) near2 (application or agent)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 09:07
L28	46712	(jumping or mobile or intelligent or autonomous) near2 (application or agent or code)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 09:07
L29	2036	security and ((replace or remove or swap) same (code or malicious or virus) same (server or database or codebase))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 09:07
L30	269	L28 and L29	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 09:07
L31	7	09/591034	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 09:07
L32	47	"5787427"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 09:07

L33	47	"5787427"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 09:07
L34	3134	replac\$4 with (code or program) same (server or database or codebase)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 09:07
L35	231	L28 and L34	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 09:07
L36	1	replac\$4 with ((malicious or bad) (code or program)) same (server or database or codebase)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 09:07
L37	11	replac\$4 with ((malicious or bad) (code or program)) same (server or database or codebase)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 09:07
L38	163	replace with code with database	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 09:07
L39	0	replace same (untrusted or malicious or suspicious) (code or program) same (secure or trusted or protected) same (database or server or codebase)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 09:07
L40	115	replace same (malicious or untrusted or suspicious) same (code or program)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 09:07

L41	57	Jumping Beans	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 09:07
L42	29278	(replac\$4 or remov\$4 or swap\$4) same (code or program or software or executable) same (server or database or codebase)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 09:07
L43	13904	(replac\$4 or remov\$4 or swap\$4) with (code or program or software or executable) same (server or database or codebase)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 09:07
L44	13582	((client near2 server) or (hub near2 spoke)) (architecture or design or network)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 09:07
L45	765	L43 and L44	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 09:07
L46	472	(trusted or secur\$4) and L45	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 09:07
L47	67	(trusted or secur\$4) same L43 and L45	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 09:07
L48	441	replac\$4 with (safe or trusted or secure) with (code or executable or software or program)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 09:07

L49	68	restor\$4 with (safe or trusted or secure) with (code or executable or software or program) same (database or codebase or server)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 09:07
L50	33	"6065039"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 09:07
L51	1203	(restor\$4 or replac\$4) with (modif\$4 or alter\$4 or chang\$4 or tamp\$4) with (code or program or executable or software) same (database or codebase or server or secur\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 09:07
L52	313	(restor\$4 or replac\$4) with (modif\$4 or alter\$4 or chang\$4 or tamp\$4) with (code or program or executable or software) same (database or codebase or server or secur\$4) same (original or trusted or secure or safe)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 09:07
L53	420	726/30.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 09:07
L54	15	726/30.ccls. and (replac\$4 or remov\$4) (code or program or software or executable)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 09:07
L55	9	726/30.ccls. and (replac\$4 or remov\$4) (code or program or software or executable)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 09:07

L56	24203	(replac\$4 or remov\$4 or restor\$4 or swap\$4) and (original or trusted or unmodified or safe or tamper proof) and (code or program or software or executable) and ((trusted or secur\$4 or tamper proof or protected) near2 (code or codebase or database or server or processor or memory or storage))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 09:07
L57	249883	"726".clas. or "713".clas. or "380".clas. or "709".clas. or "455".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 09:07
L58	10230	L56 and L57	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 09:07
L59	46712	(jumping or mobile or intelligent or autonomous) near2 (application or agent or code)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 09:07
L60	1076	L58 and L59	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 09:07
L61	7894	(replac\$4 or remov\$4 or restor\$4 or swap\$4) same (original or trusted or unmodified or safe or tamper proof) and (code or program or software or executable) and ((trusted or secur\$4 or tamper proof or protected) near2 (code or codebase or database or server or processor or memory or storage))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 09:07

L62	363	L60 and L61	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 09:07
L63	3261	(replac\$4 or remov\$4 or restor\$4 or swap\$4) same (original or trusted or unmodified or safe or tamper proof) same (code or program or software or executable) and ((trusted or secur\$4 or tamper proof or protected) near2 (code or codebase or database or server or processor or memory or storage))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 09:07
L64	193	L57 and L59 and L63	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 09:07
S1	36	("5633932"   "5850516"   "5850517"   "5963731"   "5968176"   "5974549"   "6009456"   "6065118"   "6141327"   "6173405"   "6189103"   "6192354"   "6233601"   "6272528"   "6308181"   "6539416"   "6615232"   "6622157"). PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/08 06:55
S2	7466	(jumping or mobile) (application or app or agent)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/05 13:57
S3	36	("5633932"   "5850516"   "5850517"   "5963731"   "5968176"   "5974549"   "6009456"   "6065118"   "6141327"   "6173405"   "6189103"   "6192354"   "6233601"   "6272528"   "6308181"   "6539416"   "6615232"   "6622157"). PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/05 13:57

S4	25504	(secur\$3 or trust\$3 or authoriz\$4) (code or app or application or software or job or source)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/05 13:59
S5	323	S2 and S4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/05 14:00
S6	35351	(remove or replace) near3 (code or app or application or source)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/05 14:01
S7	38	S5 and S6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/10 09:38
S8	0	("2001/0051515").URPN.	USPAT	ADJ	ON	2007/01/05 14:03
S9	32869	(mobile or executable or jump\$) adj (code or software or document or application or agent)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/10 08:00
S10	1	("6622157").PN.	US-PGPUB; USPAT	OR	OFF	2007/01/10 08:03
S11	5441	709/223.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/10 08:03
S12	5704	709/224.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/10 08:03
S13	2634	709/225.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/10 08:03

S14	2403	709/226.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/10 08:04
S15	3264	709/229.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/10 08:04
S16	15746	S10 or S11 or S12 or S13 or S14 or S15	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/10 08:04
S17	3031	(remove\$3 or replac\$3 or strip\$4 or eliminate) code	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/10 09:39
S18	29	S16 and S17	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/10 09:44
S19	35383	(remove or replace) near3 (code or app or application or source)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/11 10:29
S20	360	S16 and S19	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/10 09:45
S21	13016	"717".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/11 10:30

S23	35436	(remove or replace) near3 (code or app or application or source)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/11 10:30
S24	1037	S21 and S23	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/11 10:31
S25	468	S24 and database	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/11 10:31
S26	1	10/686886	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/04 17:47
S27	1	10/686897	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/07 14:11
S28	31585	(jumping or mobile or intelligent or autonomous) near2 (application or agent)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/07 18:33
S29	38713	(jumping or mobile or intelligent or autonomous) near2 (application or agent or code)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/08 09:14
S30	1658	security and ((replace or remove or swap) same (code or malicious or virus) same (server or database or codebase))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/07 17:49

S31	207	S29 and S30	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/07 18:18
S32	6	09/591034	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/07 18:18
S33	39	"5787427"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/07 18:31
S34	39	"5787427"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/07 18:32
S35	2634	replac\$4 with (code or program) same (server or database or codebase)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/07 18:34
S36	193	S29 and S35	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/07 18:38
S37	0	replac\$4 with ((malicious or bad) (code or program)) same (server or database or codebase)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/07 18:35
S38	8	replac\$4 with ((malicious or bad) (code or program)) same (server or database or codebase)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/07 18:35

S39	145	replace with code with database	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/07 18:40
S40	0	replace same (untrusted or malicious or suspicious) (code or program) same (secure or trusted or protected) same (database or server or codebase)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/07 18:41
S41	81	replace same (malicious or untrusted or suspicious) same (code or program)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/07 18:42
S42	54	Jumping Beans	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/08 06:58
S43	24375	(replac\$4 or remov\$4 or swap\$4) same (code or program or software or executable) same (server or database or codebase)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/08 07:00
S44	11621	(replac\$4 or remov\$4 or swap\$4) with (code or program or software or executable) same (server or database or codebase)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/08 07:03
S45	11427	((client near2 server) or (hub near2 spoke)) (architecture or design or network)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/08 07:05
S46	672	S44 and S45	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/08 07:07

S47	409	(trusted or secur\$4) and S46	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/08 07:08
S48	55	(trusted or secur\$4) same S44 and S46	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/08 07:11
S49	354	replac\$4 with (safe or trusted or secure) with (code or executable or software or program)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/08 07:50
S50	49	restor\$4 with (safe or trusted or secure) with (code or executable or software or program) same (database or codebase or server)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/08 07:51
S51	34	"6065039"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/08 07:54
S52	1035	(restor\$4 or replac\$4) with (modif\$4 or alter\$4 or chang\$4 or tamp\$4) with (code or program or executable or software) same (database or codebase or server or secur\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/08 08:17
S53	265	(restor\$4 or replac\$4) with (modif\$4 or alter\$4 or chang\$4 or tamp\$4) with (code or program or executable or software) same (database or codebase or server or secur\$4) same (original or trusted or secure or safe)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/08 08:18
S54	300	726/30.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/08 09:01

S55	13	726/30.ccls. and (replac\$4 or remov\$4) (code or program or software or executable)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/08 09:03
S56	7	726/30.ccls. and (replac\$4 or remov\$4) (code or program or software or executable)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/08 09:06
S57	20186	(replac\$4 or remov\$4 or restor\$4 or swap\$4) and (original or trusted or unmodified or safe or tamper proof) and (code or program or software or executable) and ((trusted or secur\$4 or tamper proof or protected) near2 (code or codebase or database or server or processor or memory or storage))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/08 09:17
S58	222181	"726".clas. or "713".clas. or "380".clas. or "709".clas. or "455".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/08 09:14
S59	8506	S57 and S58	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/08 09:14
S60	38759	(jumping or mobile or intelligent or autonomous) near2 (application or agent or code)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/08 09:15
S61	848	S59 and S60	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/08 09:15

S62	6603	(replac\$4 or remov\$4 or restor\$4 or swap\$4) same (original or trusted or unmodified or safe or tamper proof) and (code or program or software or executable) and ((trusted or secur\$4 or tamper proof or protected) near2 (code or codebase or database or server or processor or memory or storage))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/08 09:20
S63	279	S61 and S62	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/08 09:19
S64	2730	(replac\$4 or remov\$4 or restor\$4 or swap\$4) same (original or trusted or unmodified or safe or tamper proof) same (code or program or software or executable) and ((trusted or secur\$4 or tamper proof or protected) near2 (code or codebase or database or server or processor or memory or storage))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/08 09:21
S65	144	S58 and S60 and S64	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/08 09:25

4/ 14/ 2008 9:14:59 AM

C:\Documents and Settings\rmoran\My Documents\EAST\Workspaces\10686886.wsp